



Simple easy to understand pricing, the price you see is the price you pay!



GARAGE & SHED PRICES

Why choose Lidget Compton?

- ✓ We are the UK's largest & market leading manufacturer of sectional concrete garages, sheds & garden buildings
- ✓ We have over 35 years experience in the garage market
- ✓ Every building comes with a 10 year structural guarantee
- ✓ We manufacture the UK's strongest garage panels
- ✓ Buildings are installed by our own workforce, usually on the day of delivery
- ✓ We offer the UK's largest & most flexible product range
- ✓ We offer a bespoke building design service
- ✓ We supply market leading Hormann & GDS garage doors for greater choice
- ✓ As a family run business we pride ourselves on offering the best products and service possible
- ✓ Our nationwide network of local garage specialists have all the experience and expertise you need when purchasing a new sectional building





Lidget Compton are the leading manufacturer of concrete sectional buildings, with the largest range of buildings, wall finishes and optional extras currently available in the UK. Whatever your requirement, we can provide a solution.

How to use this price guide;

- First pick your building size from the tables
- For the Special Package offer simply add the corresponding price below to your basic building price
- For alternative wall finishes use the table on page 8
- Finally you can customize your building with the range of options on the pages 6 and 7

Special Package Offer

At Lidget Compton, we offer a special maintenance free offer package across the whole range. Once you've chosen the shape of your building, find the package price below and simply add it to your building price.



Maintenance Free Package*

No more sanding or painting, an occasional wipe clean is all you need! This package includes:*

- ✓ White vertically ribbed up and over door
- ✓ White PVCu fascias and vergeboards
- ✓ PVCu Gutters (Choose from White, Black or Brown)
- ✓ 4' (1.22m) fixed white PVCu double glazed window
- ✓ 3' (0.91m) White vertically ribbed Personnel door with 4 point locking
- ✓ 4 point locking on up & over doors (up to 9' (2.74m) wide)
- ✓ Timber weather bar
- ✓ Sand and cement fillet



SAVE £££'s

* Actual contents depend on the building chosen. Shed packages do not include up and over door, 4 point locking or timber weather bar.

Pent & Pent Mansard Special Package Offer Add package price to the basic building price.	Special Package Prices - Maintenance Free								
	Building width	8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
	PENT	1041	1083	1088	1139	1632	1390	1474	1483
PENT MANSARD	-	-	-	-	-	-	-	-	

Apex Range		Special Package Prices - Maintenance Free <small>Add the package price to the basic building price.</small>										
Building Width		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)
	14'3" (4.34m)	1136	1173	1173	1216	1769	1447	1522	1522	1606	1606	2713
	16'3" (4.95m)	1155	1192	1192	1235	1788	1466	1541	1541	1625	1625	2732
	18'3" (5.56m)	1174	1211	1211	1254	1807	1485	1560	1560	1644	1644	2751
	20'3" (6.17m)	1193	1230	1230	1273	1826	1504	1579	1579	1663	1663	2770
	22'3" (6.78m)	1212	1250	1250	1292	1845	1523	1598	1598	1682	1682	2789
	24'3" (7.39m)	1231	1269	1269	1311	1864	1542	1617	1617	1701	1701	2808
	▼ Add for each additional 2' (0.61m) increment in building length ▼											
+ 2' (0.61m)	19	19	19	19	19	19	19	19	19	19	19	

Please note due to the high specification supplied as standard on the Apex 90 no packages are available

Sheds & Workshops Special Package Offer Add package price to the basic building price.			4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)
	Pent		770	779	789	798	808	817	974
	Pent Mansard		-	-	-	-	-	-	-
Apex	Length	4'	789	789	789	789	789	789	936
		6'	808	808	808	808	808	808	955
		8'	827	827	827	827	827	827	974
	▼ Add for each additional 2' (0.61m) increment ▼								
			19	19	19	19	19	19	19

Package contents as per garage packages (excluding up & over door, 4 point locking and timber weather bar).

PENT GARAGES

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	Robust C section galvanised steel rafters supporting galvanised steel full length (up to 20'3) roof sheets, with Grafo therm anti-condensation treatment.
Fascias:	Factory preservative treated timber.
Window:	4' (1.22m) timber fixed factory preservative treated.



		Building Width							
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ▶		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
▲ Length ▼	14'3" (4.34m)	1870	2198	2295	2595	3120	3590	3940	4250
	16'3" (4.95m)	1995	2295	2410	2720	3255	3755	4135	4440
	18'3" (5.56m)	2095	2415	2540	2835	3398	3915	4340	4620
	20'3" (6.17m)	2195	2530	2665	2955	3540	4095	4555	4805
	22'3" (6.78m)	2320	2650	2780	3075	3695	4280	4745	4995
	24'3" (7.39m)	2440	2775	2895	3180	3850	4445	4950	5160
	26'3" (8.08m)	2550	2890	3030	3315	4225	4660	5180	5395
	28'3" (8.61m)	2655	3015	3155	3460	4410	4875	5405	5630
Guttering		48	54	59	70	82	93	104	115

For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

PENT MANSARD GARAGES

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	As the Pent but with attractive front elevation with granular galvanised steel pantile profile tiles in a choice of 6 colours.
Fascias:	White PVCu fascias and vergeboards.
Window:	4' (1.22m) White PVCu fixed.
Gutters:	Front & rear PVCu. Choice of white, black or brown.



		Building Width							
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ▶		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
▲ Length ▼	14'3" (4.34m)	2825	3115	3250	3670	4780	4855	5305	5680
	16'3" (4.95m)	2870	3230	3355	3790	4930	5030	5430	5855
	18'3" (5.56m)	3010	3340	3470	3925	5055	5175	5635	6020
	20'3" (6.17m)	3160	3510	3595	4065	5235	5345	5865	6225
	22'3" (6.78m)	3290	3620	3780	4180	5360	5550	6065	6385
	24'3" (7.39m)	3425	3715	3900	4340	5490	5790	6250	6565
	26'3" (8.08m)	3530	3835	4030	4495	5675	6035	6440	6740
	28'3" (8.61m)	3635	3950	4160	4645	5860	6280	6730	6920

APEX GARAGES

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	12.5° pitch roof with fibre cement roof sheets, close fitted ridge and eaves filler.
Fascias:	Factory preservative treated timber.
Window:	4' (1.22m) timber fixed factory preservative treated.



		Building width											Gutters	
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)	1 side	2 sides
Building length	Door width ▶	7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2 x 7' (2.13m)		2 x 8' (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
	14'3" (4.34m)	2160	2460	2555	2990	3200	3960	4320	4670	5250	5475	6860	80	160
	16'3" (4.95m)	2240	2585	2695	3115	3360	4195	4575	4915	5495	5740	7150	91	182
	18'3" (5.56m)	2420	2695	2830	3250	3525	4420	4840	5165	5760	5995	7445	102	205
	20'3" (6.17m)	2550	2820	2995	3395	3690	4650	5095	5420	5995	6270	7730	114	227
	22'3" (6.78m)	2685	2955	3125	3510	3855	4875	5360	5670	6255	6550	8015	125	250
	24'3" (7.39m)	2820	3070	3270	3655	4020	5095	5615	5925	6495	6820	8295	136	272
	26'3" (8.00m)	3045	3210	3405	3780	4150	5460	5885	6175	6755	7095	8600	147	294
Additional 2'	150				250				300				11	22

Want a different Apex roof style?

Apex garages are also available in two alternative roof styles (see options page for pricing);

Apex 15: A 15° pitch roof with bold roll tile effect roof sheets in attractive terracotta.

Apex 20: 20° pitch lined roof with attractive galvanised pantile profile steel roof tiles in a choice of 6 colours and eaves filler.

Apex 15 Roof



Apex 20 Roof



For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

APEX 90 GARAGES Featuring a transverse roof

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	Attractive plastisol coated, galvanised steel tileeffect roof sheets in a choice of 4 colours.
Fascias:	White PVCu fascias and vergeboards.
Window:	4' (1.22m) White PVCu fixed
Gutters:	Front & rear PVCu. Choice of white, black or brown.



		Building width						
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	
Building length	Door width ▶	7' (2.13m)	8' (2.44m)		2 x 7' (2.13m)		2 x 8' (2.44m)	
	14'6" (4.42m)	3810	4185	4408	6369	7092	7661	
	16'6" (5.03m)	3983	4431	4696	6853	7559	8141	
	18'6" (5.64m)	4262	4688	4965	7333	8058	8669	
	20'6" (6.25m)	4500	4945	5270	7763	8575	9148	

PENT & PENT MANSARD SHEDS

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Main door:	3' (0.91m) horizontal boarded standard timber door.
Roof:	Pent: Galvanised steel roof sheets with Grafo-Therm anti-condensation treatment mounted on robust C-Section rafters. Mansard: As Pent but with pantile profile tile effect roof sheets to front elevation, in a choice of 6 colours
Fascias:	Factory preservative treated timber.
Window:	4' timber fixed factory preservative treated (2' on buildings up to 8' wide).
Note:	Pent Mansard sheds are supplied with PVCu fascias, 4' fixed PVCu window, 3' steel personnel door and PVC guttering in a choice of white, black or brown.



Mansard shed in sectional brick finish

		PENT SHED						Building Width		PENT MANSARD SHED					
		4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)	4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)
Length	▲ 4'	1450	1490	1515	1620	1740	1965	2250	2313	2543	2806	3049	3304	3718	4378
	6'	1595	1615	1640	1695	1815	2050	2340	2435	2750	2968	3151	3397	3826	4505
	8'	1660	1695	1705	1810	1900	2110	2420	2590	2860	3073	3289	3502	3949	4645
	10'	1695	1720	1770	1905	2005	2235	2585	2725	2935	3180	3394	3631	4098	4817
	▼ 12'	1765	1785	1815	2010	2170	2440	2795	2871	3072	3285	3523	3830	4332	5082
	14'	1795	1835	1860	2200	2395	2695	3170	3132	3348	3576	3832	4169	4724	5534
	16'	1930	1950	1990	2275	2670	2960	3495	3394	3623	3868	4140	4506	5120	5981
Guttering	22	34	45	56	67	78	90	Included							

For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

APEX SHEDS









Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Main door:	3' (0.91m) horizontal boarded standard timber door.
Roof:	Apex: 12.5° pitch roof with grey fibre cement roof sheets. Apex15: 15° pitch roof with bold roll tile effect roof sheets in terracotta. Apex20: 20° pitch lined roof with attractive galvanised pantile profile steel roof tiles in a choice of 6 colours and eaves filler.
Fascias:	Factory preservative treated timber.
Window:	4' timber fixed factory preservative treated (2' on buildings up to 8' wide).










Apex15 shed with PVCu features & steel door

		APEX SHED							APEX 15 SHED							APEX 20 SHED							Gutters Both Sides
		4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	
Length	▲ 4'	1635	1685	1740	1895	2055	2305	2565	1740	1840	1950	2155	2365	2670	2980	1785	1915	2045	2275	2510	2835	3175	45
	6'	1700	1740	1820	2005	2110	2380	2695	1855	1975	2130	2395	2580	2925	3320	1930	2080	2275	2575	2795	3180	3605	67
	8'	1790	1815	1895	2130	2225	2470	2815	2000	2125	2310	2650	2850	3200	3645	2095	2270	2505	2890	3135	3535	4030	90
	10'	1850	1895	1955	2240	2360	2635	2945	2110	2285	2475	2890	3140	3545	3985	2230	2465	2715	3190	3500	3965	4465	112
	▼ 12'	1940	1980	2020	2365	2575	2840	3150	2250	2450	2645	3145	3510	3930	4400	2395	2665	2930	3505	3945	4435	4975	134
	14'	2015	2045	2110	2560	2715	3040	3465	2380	2590	2840	3470	3805	4315	4920	2545	2845	3175	3890	4310	4900	5595	157
16'	2160	2190	2215	2695	3020	3295	3760	2575	2815	3045	3735	4270	4750	5425	2770	3100	3430	4215	4845	5425	6190	179	

MAIN DOOR OPTIONS

Building width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"	Add'l Sizes		
Door width ▶	7'	8'	9'	10'	2 × 7'	2 × 8'	2 × 9'	2 × 10'	12'	14'				
Up and Over Doors Horizontal ribbed door included as standard. All doors are steel unless stated otherwise.														
Vertical ribbed (white)	47	91	141	792	94	182	282	1584	1180	1196			Vertically Ribbed	Georgian
Georgian (white)	143	295	323	1024	286	590	646	2048	1248	1280				
Ilkley (white)	362	395	–	–	723	790	–	–	–	1800			Ilkley	Chevron
Chevron (white)	159	–	–	–	318	–	–	–	–	–				
Other Main Doors														
Rollershutter (white/coloured)	236	276	352	420	472	552	704	840	556	716				
Sectional (white)	940	1000	1076	1216	1880	2000	2152	2432	–	–			Rollershutter	Sectional
Sectional w/windows (white)	1164	1224	1300	1440	2328	2448	2600	2880	–	–				
Sidehung	1220	1268	–	–	2440	2536	–	–	–	–				
Sidehung (Timber)	91	103	–	–	182	206	–	–	–	–			Side Hung	No door
No door (leaving gap)	-78	-90	-103	-151	-155	-179	-206	-302	–	–				
Extras													Notes	
4 point locking (u&o) up to & incl. 9' doors	83		–		166		–		–		–		1 Coloured Georgian U&O doors only available in 7'&8' widths	
Electric Remote Control*	767			1534			767		767		2 Decograin sectional doors only available in M-Rib style not Georgian			
– External key override	67										* IMPORTANT: On garages with an electric remote operator and no personnel door or other means of access, an external key override must be added to allow the door to be opened in the event of a power failure.			
– Internal switch	80													
– Additional handset	80													

Personnel Doors		White	Coloured	Golden Oak /Rosewood		
Standard Timber	3'	125	–	–	Standard Timber	
	4'	208	–	–		
Deluxe Timber	3'	220	–	–	Deluxe Timber	
Galvanised steel white vertical	3'	356	632	588	Steel	
	4'	568	844	–		
Galvanised steel white Georgian	3'	660	936	860	Georgian	
	4'	–	–	–		
PVCu Half or Fully Glazed	3'	566	–	759	Panelled PVC	
	3'6"	607	–	801		
PVCu Fully Panelled	3'	525	–	1022	Glazed PVC	
	3'6"	552	–	1063		

Windows ①		Std Timber/ White PVCu	Golden Oak /Rosewood	
Timber fixed	2'	54	–	
	4'	70	–	
PVCu fixed	2'	154	207	
	4'	194	250	
PVCu opening	2'	201	262	
	4'	233	303	
				
	4' Timber	2' Timber	4' PVCu	2' PVCu

① Please note that extra high buildings are supplied with a 3' wide window as standard not 4'. This is due to the difference in extra high panel widths. They are also taller than standard windows. The price remains the same.

Door Colour Options (Add to door price)			U&O / Sectional / Personnel Doors		Rollershutter Doors	
	Decograin ²	Coloured ¹	Dark Brown	Red	Vandyke Brown	Black
Up & Over	7' / 8' +£198	7' / 8' / 9' / 10' +£130	12' / 14' +£196	Light Blue	Honesty Cream	Woodgrain: Golden Oak
Rollershutter	+25% of door cost	Included	Steel Blue	Woodgrain: Golden Oak	Goosewing Grey	Rosewood
Sectional	+25% of door cost	+£166	Green	Rosewood	Juniper Green	Doors supplied white as standard

APEX ROOF OPTIONS

Two alternative roof styles are available on Apex buildings, the Apex 15 and Apex 20. To price these simply add the upgrade price from the relevant box below to the basic building price on page 4.

Apex 15 Roof 15° pitch roof with bold roll profile fibre cement roof tiles in terracotta.	APEX 15											
	Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	785	880	975	1160	1345	1530	1715	1900	2085	2270	2455
	16'3"	900	1005	1110	1320	1530	1745	1955	2165	2375	2590	2800
	18'3"	1010	1130	1245	1485	1720	1955	2195	2430	2670	2905	3145
	20'3"	1120	1250	1380	1645	1910	2170	2435	2700	2960	3225	3490
	22'3"	1230	1375	1520	1810	2095	2385	2675	2965	3255	3545	3835
	24'3"	1340	1500	1655	1970	2285	2600	2915	3230	3550	3860	4175



Apex 20 Roof 20° pitch, felt lined roof with galvanised steel pantile profile roof tiles. Choice of colours; Charcoal, Brindle, Green, Terracotta, Red, Bronze.	APEX 20											
	Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	1150	1285	1420	1690	1965	2235	2505	2775	3045	3315	3585
	16'3"	1310	1465	1620	1930	2240	2550	2855	3165	3475	3780	4090
	18'3"	1475	1650	1820	2165	2515	2860	3205	3555	3900	4250	4595
	20'3"	1635	1830	2020	2405	2790	3175	3560	3945	4330	4715	5100
	22'3"	1795	2010	2220	2645	3065	3490	3910	4335	4755	5180	5600
	24'3"	1960	2190	2420	2880	3340	3800	4260	4725	5185	5645	6105



Roofing Upgrades & Options

Pent* or Apex Roof Plastisol: Choice of colours ; Black, Light Grey, Dark Grey, Olive Green, Terracotta, Dark Brown. <small>*Only available up to 20'6" on Pent buildings</small>	Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
	Building length	14'3"	504	563	623	741	860	978	1097	1216	1334	1453
16'3"		575	642	710	845	981	1116	1251	1386	1522	1657	1792
18'3"		646	722	797	949	1101	1253	1405	1557	1709	1861	2013
20'3"		716	801	885	1053	1222	1390	1559	1728	1896	2065	2234
22'3"		787	880	972	1157	1343	1528	1713	1898	2084	2270	2455
24'3"		858	959	1060	1261	1463	1665	1867	2069	2270	2472	2674
26'3"		929	1038	1147	1366	1584	1802	2021	2239	2458	2676	2894
28'3"		999	1117	1234	1470	1705	1940	2175	2410	2646	2881	3116



Apex Roof Coloured roof sheets: Choice of colours; Spanish Red, Blue-Black, Olive Green, Black, Brown, Terracotta. Includes eaves filler.	Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
	Building length	14'3"	180	201	222	265	307	349	392	434	477	519
16'3"		205	229	254	302	350	399	447	495	543	592	640
18'3"		231	258	285	339	393	448	502	556	610	665	719
20'3"		256	286	316	376	436	497	557	617	677	737	798
22'3"		281	314	347	413	480	546	612	678	744	810	876
24'3"		306	342	378	451	523	595	667	739	811	883	955
Add for each additional 2' in length		26	28	31	37	43	49	55	61	67	73	79



PVC Fascias and Vergeboard (supplied with timber as standard)													
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"		
White	374				547								
Anthracite & Decograin (Golden Oak/Rosewood)	511				707								

MISCELLANEOUS OPTIONS

Building width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	
RealBrick front posts	169	169	248	458	466	253	253	477	
Partition wall	190	213	235	280	325	370	414	459	
Sand & cement fillet	83			107					
Timber weather bar	38			77					
Translucent roof sheet (apex only)	54								
Lining clips (pack of 12)	20								
Shelf Stack (2' 4' or 6')	93 / 108 / 123								
									
									
									

SPECIAL WALL FINISHES

Choose from: Sectional Brick - Sectional Stone - Garaclad PVC Cladding - Textured Render

How To Price

1. Work out linear feet needed by adding length of building sides + front + back. Then minus width of any side & main doors & full length windows

Eg. 16 x 8 with side door = 16 (left side) + 16 (right side) + 8 (front) + 8 (back) = 48 Less 3 (side door), less 7 (main door) = 38

2. Multiply this by the relevant price below (eg. for brick 38 x 50 = £1,900)

3. Add total to the basic building price

Price per linear foot	
Sectional Brick / Stone	50
Textured or Garaclad	60



Concrete Base Information

A Lidget Compton Building Is Only As Good On The Base It Sits On

There are some very important factors to take into account when considering a concrete building. We cannot build on tarmac, paving blocks or slabs as they are inherently unstable. Any building is only as good as its foundations, and this holds true for our buildings as well.

Your base will need to be square (meaning all the corners are 90°) flat and level. It should be above surrounding ground level by a minimum of 1". It should be 6" longer and wider than the external dimensions of your building. Please don't build your base with any fall.


If your drive slopes down to the garage, you will need to put in a gully to take away the water, if there is a wall or bank around the building, you need to ensure adequate drainage. Our agents will provide advice, and will often provide a service to replace, refurbish or provide a new base.

You may also need Local Authority approval, either planning or building regulation.


You may obtain advice from your agent, but you will need a letter of confirmation to be absolutely sure.



GOOD BASE POSITIONING



POOR BASE POSITIONING (CORNERS NOT AT RIGHT ANGLES)



IF THE DISTANCE BETWEEN A-B IS EQUAL TO C-D, YOUR BASE IS SQUARE

10 Year Guarantee

Lidget Compton offer a full structural guarantee for 10 years from the date of installation of

your building. The guarantee is transferable, and is subject to the proper following of the Care and Maintenance Instructions supplied with your acknowledgement of order.

See www.lidget.co.uk/10yearguarantee



Prices in the Lidget Compton price guide all include delivery and installation. Delivery is to mainland England, Scotland and Wales, and includes carrying your building up to 25 yards (23 metres) on a reasonable surface from our parked lorry to your concrete base. We are unable to deliver through your house or outbuildings for safety reasons.

Prices include VAT at the current rate of 20%. Should this rate change, we reserve the right to adjust prices accordingly. Prices include installation of options ordered at the time of ordering the building. Options ordered after delivery and installation will be quoted separately. **Sizes quoted are external measurements.**

Information correct at time of printing. Terms & conditions apply. We reserve the right to change product specification without notice. E&OE.

Lidget Compton Albion Drive Lidget Lane Thurnscoe Rotherham S63 0BA

Tel. 01709 881844 Fax. 01709 881015 Email. sales@lidget.co.uk